

2013 ACES/SEE Caribbean Eye Meeting San Juan, Puerto Rico

HIGHLIGHTS IN REVIEW

PROGRAM CHAIRS

James C. Loden, MD

Co-Chair, Caribbean Eye Meeting
President, Society for Excellence in Eye Care

P. Dee G. Stephenson, MD, FACS

Co-Chair, Caribbean Eye Meeting Board Member, American College of Eye Surgeons



Please visit the meeting website, **www.caribbeaneyemeeting.com** to view PDFs from the select presentations and select video footage of live presentations from your computer, laptop, or smart phone.


SAVE THE DATE FOR 2014
JANUARY 31 - FEBRUARY 4, 2014, CANCUN, MEXICO

a Novartis company

Rapid-Fire Pearls From My First 100,000 Eye Surgeries

J. REX PARENT, MD

Reducing a glaucoma patient's risks while decreasing costs and improving vision is an excellent way to become a "hero" to that patient, according to J. Rex Parent, MD. Dr. Parent's presentation, "Rapid-Fire Pearls From My First 100,000 Eye Surgeries," offered clinical pearls on preoperative assessment of patient risks, perioperative techniques, and avoidance of complications. Dr. Parent also presented tips on effectively removing viscoelastic to decrease the risk of postoperative pressure elevation.



Blade-Free Cataract Surgery

JOHNNY L. GAYTON, MD, FSEE

Femtosecond (Alcon Laboratories, Inc., AMO, Bausch & Lomb, LensAR) laser technology offers surgeons improved accuracy of incisions, improved predictability, and and precise capsulotomy design for every IOL, said Johnny L. Gayton, MD, FSEE. In a presentation titled, "Blade-Free Cataract Surgery," Dr. Gayton discussed the advantages and disadvantages of the LenSx laser over manual incisions and capsulorhexis, the importance of effective lens positioning, and the complications of femtosecond laser

ens removal reduces IOP in patients with narrow angle ns removal treats and prevents angle closure Lens removal has the additional benefit of frequently proving uncorrected vision intosecond laser technology in cataract surgery makes taract removal a more predictable procedure

cataract surgery. He presented his practice's initial results with LenSx laser-guided cataract surgery.

Femtosecond and Excimer Laser-Assisted Correction of Presbyopia and Hyperopia

MARK TOMALLA, MD

For patients in the appropriate ranges of correction, an excimer laser-assisted procedure may offer an additional treatment option for the correction of hyperopia, according to Mark Tomalla, MD. "Femtosecond and Excimer-Assisted Correction of Presbyopia and Hyperopia" outlined what he considers to be the advantages of the Intracor (Technolas Perfect Vision) femtosecond laser-assisted procedure to correct presbyopia and the Supracor (Technolas Perfect Vision) excimer laser-assisted correction of presbyopia and hyperopia.

Dr. Tomalla presented data for both procedures from a trial conducted in Duisburg, Germany, and discussed the approved treatment ranges for Intracor and Supracor.



World-Class Service: Concepts for Today's Cataract Practice


STEPHEN V. SCOPER, MD

Selection of quality staff, establishment of a daily line-up in every department, and acknowledgement of excellence are key components in maintaining a culture of teamwork in your practice, said Stephen V. Scoper, MD. In his presentation, "World-Class Service: Concepts for Today's Cataract Practice," Dr. Scoper described a type of "Ritz-Carlton Model" of superior service, which includes offering a friendly and sincere greeting, anticipating and fulfilling customers' expectations, and parting with them in a warm and personable manner. He emphasized the importance of knowing patients by name and always striving to provide the "wow" factor at every level of practice.

The Perfect IOL Calculation: Current, Cutting-Edge, and Future IOL Calculation **Techniques**

JACK T. HOLLADAY, MD, MSEE, FACS

The Pentacam (Oculus) Scheimpflug camera provides very sensitive detection of corneal thinning disorders, said Jack T. Holladay, MD, MSEE, FACS. In his presentation, "The Perfect IOL Calculation: Current, Cutting-Edge, and Future




IOL Calculation Techniques," Dr. Holladay discussed the differences between the topography of keratoconus versus contact lens-induced warpage and detailed the importance and accuracy of the equivalent keratometry reading. Dr. Holladay also offered guidelines for calculating IOL power in various types of irregular corneas.

IOL Calculations in Long, Myopic Eyes: How-To, Step by Step

UDAY DEVGAN, MD

The most common source of error in IOL calculations in highly myopic eyes is the measurement of axial length. In contrast, the source of error in hyperopic eyes tends to be the estimation of the effective lens position of the IOL, and, in postrefractive surgery eyes, it is the measurement of true corneal power. In his presentation, "IOL Calculations in Long, Myopic



Eyes: How-To, Step by Step," Dr. Devgan outlined his approach to enhancing accuracy specifically in these eyes.

One of the most important contributions comes from the group at Baylor University, which showed that axial length can be adjusted using a simple linear regression formula to achieve more accurate IOL power calculations in highly myopic eyes. The formula is: adjusted axial length = 0.83 X measured axial length + 4.27; this new value is then plugged into the Holladay 1 formula for IOL power.

1. Wang L, Shirayama M, Ma XJ, Kohnen T, Koch DD. Optimizing intraocular lens power calculations in eyes with axial lengths above 25.0 mm. J Cataract Refract Surg. 2011;37:2018-2027.

Corneal Collagen Cross-Linking

GEORGE O. WARING IV, MD

Corneal collagen cross-linking (CXL) is a safe and effective approach to treating ectatic corneal diseases, according to George O. Waring IV, MD. In his presentation, "Corneal Cross-Linking," Dr. Waring presented the results of a US clinical trial evaluating the use of CXL in patients with keratoconus and ectasia. He also discussed the findings of a biomechanics substudy as well as the merits of iontophoretic delivery of riboflavin as an emerging method of efficient CXL.



Dual-Laser Cataract Suite

JONATHAN D. SOLOMON, MD

Femtosecond laser-assisted cataract surgery and intraoperative aberrometry can be used effectively together as part of a combined surgical system, said Jonathan D. Solomon, MD. In his presentation, "Dual-Laser Cataract Suite," Dr. Solomon elucidated the distinct advantages of the Optiwave Refractive Analysis (ORA, Wavetec Vision), such as improved accuracy in IOL power calculation, titratable astigmatic correction, and confirmation of interferometry failure. He presented findings from a study titled, "A Retrospective Review of All Eyes Undergoing Femtosecond-Laser Cataract Evaluating Phaco Metrics and Total Infusion Volume."



Toric IOLs: Strategies for Success

WARREN E. HILL, MD

In his presentation, "Toric IOLs: Strategies for Success," Warren E. Hill, MD, discussed the importance of measuring the cornea by first establishing the orientation of the steep meridian and then determining the power difference between principal meridians. Dr. Hill emphasized the impact of surgically induced astigmatism and offered tips on marking the cornea and surgical alignment.




www.caribbeaneyemeeting.com

Please visit the meeting website to view PDFs from the select presentations and select video footage of live presentations from your computer, laptop, or smart phone.

LenSx: The SoftFit Patient Interface— Does It Make It Better?

PIT GILLS, MD

The new patient interface on the LenSx femtosecond laser (Alcon Laboratories, Inc.) offers significant improvements in capsulorhexis uniformity and superior optical coherence tomography resolution, said Pit Gills, MD. In his presentation, "LenSx: The SoftFit Patient Interface—Does It Make It Better?"




Dr. Gills discussed clinical trial findings on the treatment of 16 patients using the new interface. He enumerated the various effective features of surgery using the interface, including easier docking and centration, faster treatment, and more precise incisions.

New Treatment Paradigms in Ocular Surface Disease

MITCHELL A. JACKSON, MD


Because the tear film is the most important refractive surface of the eye, resolving ocular surface disease is crucial to visual quality, said Mitchell A. Jackson, MD. In his presentation, "New Treatment Paradigms in Ocular Surface Disease," Dr. Jackson outlined the overlapping categories of lid disease, ocular allergy, and dry eye disease. He discussed current medications to address inflammation and osmolarity in these conditions and described new combination treatment paradigms.



Initial Results With a New Aspheric, Aberration-Free Hydrophobic Acrylic IOL

P. DEE G. STEPHENSON, MD, FACS

The EnVista IOL (Bausch + Lomb) is a new aspheric lens designed to offer "glistening-free" vision, said P. Dee G. Stephenson, MD, FACS. In her presentation, "Initial Results With a New Aspheric, Aberration-Free Hydrophobic Acrylic IOL," Dr. Stephenson presented findings from a literature review of studies on glistenings and discussed the rates of glistenings seen in seven different types of IOLS. She outlined the lens specifications and design of the EnVista IOL and presented encouraging results from the first 50 cases.





TACES/SEE CARIBBEAN CYE MEETING

JANUARY 31 - FEBRUARY 4, 2014 THE RITZ-CARLTON, CANCUN, MEXICO

PROGRAM CHAIRS



James C. Loden, MD



P. Dee G. Stephenson MD, FACS

INVITED SESSION CHAIRS

Alan Carlson, MD Uday Devgan, MD Warren Hill, MD P. Kirk Labor, MD Robert Osher, MD Alan Reider, Esq. Mark Rosenberg Steven Schallhorn, MD Kerry Solomon, MD Karl Stonecipher, MD Richard Tipperman, MD George Waring IV, MD Robert Weinstock, MD Jeffrey Whitman, MD

Approved for 20 ACCME AMA PRA Calegory 1 Credits 1141.

HOTEL ACCOMMODATIONS

We have secured a block of rooms at the Ritz-Carlton, Cancun over the meeting dates of January 31 – February 4, 2014. Available room types are as follows:

Ocean View Room Ocean Front Room Club Level Ocean View Room Club Level Ocean Front Room

Visit www.caribbeaneyemeeting.com for further information.

For agenda details and to register, visit: www.caribbeaneyemeeting.com

CME INFORMATION

Accreditation and Designation Statements

This activity has been planned and implemented in accordance with the Essential Areas and policies of the Accreditation Council for Continuing Medical Education (ACCME) through the joint sponsorship of the Dulaney Foundation and the American College of Eye Surgeons and the Society for Excellence in Eyecare. The Dulaney Foundation is accredited by the ACCME to provide continuing medical education for physicians.